

United States Department of the Interior  
National Park ServiceNational Register of Historic Places  
Registration Form

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines for Completing National Register Forms* (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

**1. Name of Property**historic name WARREN WESLEY FINNEY HOUSEother names/site number 111-1660-0070**2. Location**street & number 927 STATE STREET☐ not for publicationcity, town EMPORIA☐ vicinitystate KANSAScode KScounty LYONcode 111zip code 66801**3. Classification**

## Ownership of Property

- ☒ private  
☐ public-local  
☐ public-State  
☐ public-Federal

## Category of Property

- ☒ building(s)  
☐ district  
☐ site  
☐ structure  
☐ object

## Number of Resources within Property

## Contributing

2

## Noncontributing

           buildings  
           sites  
           structures  
           objects  
2 Total

Name of related multiple property listing:

N/ANumber of contributing resources previously  
listed in the National Register 0**4. State/Federal Agency Certification**

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this  
☒ nomination ☐ request for determination of eligibility meets the documentation standards for registering properties in the  
National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.  
In my opinion, the property ☒ meets ☐ does not meet the National Register criteria. ☐ See continuation sheet.

Ramon Finney STATE HISTORIC PRESERVATION OFFICERMARCH 23, 1992

Signature of certifying official

Date

KANSAS STATE HISTORICAL SOCIETY

State or Federal agency and bureau

In my opinion, the property ☐ meets ☐ does not meet the National Register criteria. ☐ See continuation sheet.

Signature of commenting or other official

Date

State or Federal agency and bureau

**5. National Park Service Certification**

I, hereby, certify that this property is:

- ☐ entered in the National Register.  
☐ See continuation sheet.  
☐ determined eligible for the National  
Register. ☐ See continuation sheet.  
☐ determined not eligible for the  
National Register.  
☐ removed from the National Register.  
☐ other, (explain:) \_\_\_\_\_

Signature of the Keeper

Date of Acti

## 6. Function or Use

Historic Functions (enter categories from instructions)

DOMESTIC; single dwelling

Current Functions (enter categories from instructions)

DOMESTIC; single dwelling

## 7. Description

Architectural Classification

(enter categories from instructions)

LATE VICTORIAN: Shingle Style

Materials (enter categories from instructions)

foundation STONE: Limestone

walls STONE: Limestone

WOOD: Shingle

roof WOOD: Shingle; ASPHALT

other

Describe present and historic physical appearance.

The Warren Wesley Finney House (1907-1908) is located at 927 State Street in Emporia, Lyon County, Kansas (pop. 25,287). The two-and-a-half-story, shingle and Silverdale limestone, Shingle style house sits on a rusticated limestone block foundation and is surmounted by an asphalt shingled and wooden shingled, cross gambrel roof. The building maintains an eastern facade orientation, with overall dimensions of fifty feet from north to south and seventy-five feet from east to west.

The building's rusticated stone and shingled surface projects a complex shape enclosed within a smooth surface, this enclosure unifies the irregular outline of the house. Decorative detailing is not emphasized on doors, windows, cornices, porches, or on wall surfaces. Remnants of the Victorian period appear in the house with its projecting bays, leaded windows and decorative exterior plate on the north facade. Gables and dormers projecting off the gambrel roof give the building a rich textural diversity.

Rusticated, limestone block comprises the greater portion of the building's first story. Wooden clapboarding covers the building's northwest corner and the west elevation. Wooden shingles cover the gambrel and gable faces, dormer walls, and other planar expanses on the second and attic stories. Brick chimneys rise from the north and south elevations.

A full width, rusticated, limestone block porch spans the eastern facade's first level. Four, massive limestone block piers support a gently sloping roof. Limestone steps flanked by limestone abutments lead to the building's center door. A single paned, bevelled glass door with an oak frame stands in the doorway. Bevelled glass sidelights flank the door, a tri-partite bevelled glass transom surmounts the door. A stuccoed ceiling surmounts the porch.

Fenestration is comprised primarily of 1/1 double hung sash in singular and triple groupings. A bay window projection fenestrates the southern bay of the eastern facade on the first and second levels, each bay contains three windows. An additional bay

☒ See continuation sheet

United States Department of the Interior  
National Park ServiceNational Register of Historic Places  
Continuation SheetSection number 7 Page 1

projects from the southern elevation's second story, it contains three windows. A bay containing one window projects from the northern bay of the eastern elevation. A window bank of four, six light, single hung windows fenestrate the dining room's western wall.

A leaded glass window fenestrates the first level hallway's north wall and the great room's south elevation. A two-part, leaded glass window fenestrates the north wall at the main staircase's landing. An elliptical, multi-paned window fenestrates the south wall of the second level's southwest bedroom. A pair of two, diamond paned, single hung windows fenestrate the western wall of the second level bathroom.

Quarter fanlights flank the attic level chimney flue on the north elevation. Diamond paned windows form the upper sash of the 1/1 double hung sash that fenestrate the dormers. A bank of three, diamond paned, single hung windows fenestrate the facade's attic gambrel face.

The building retains its original floorplan and detailing, reflecting the Craftsman and Colonial Revival styles. Oak woodwork is employed for all treatments on the first and second levels, pine is used on the third level. The floorplan is a variant of the center hall plan, with rooms flanking the center halls on the first and second floors, however, the main staircase runs perpendicular to the main hall on the first level, and opens into a second floor hallway with a north-south alignment. The second level rooms flank the center hallway, and retain a perpendicular arrangement to the first level rooms. A ballroom and several smaller rooms comprise the attic story arrangement.

The first level features a vestibule entrance that contains two, single paned, bevelled glass doors with oak frames flanked by bevelled glass sidelights and surmounted by tri-partite, bevelled glass transoms. The vestibule entrance opens into a large, main hall. Ionic columns define the hallway, supporting classically inspired entablatures; the column arrangement creates portals to the main and north parlours and to the staircase. The use of the columns and wide portals to define space allows for an open, free flowing floorplan on the first level.

A classically inspired, staircase with a north-south alignment rises from the hallway to a landing on the building's north wall,

United States Department of the Interior  
National Park Service

National Register of Historic Places  
Continuation Sheet

Section number 7 Page 2

---

meeting a two-part, colored and leaded glass window with floral motifs which fenestrates the said wall. Craftsman inspired, vertical panelling covers the landing walls beneath the windows, identifying a nook into which a built-in bench. Two, period, stained glass, hanging lights illuminate the window nook.

The staircase turns ninety degrees and rises to the second floor hallway. The newel posts which stand on the landing and second floor are squared, recalling the Craftsman style as they integrate with the curvilinear balusters. The second floor hallway reveals a large, built-in dresser. An original crystal chandelier illuminates the space. Three rooms open onto the hallway.

A beamed ceiling with a north-south orientation accentuates the ceiling in the main parlour. Crown moulding accentuates the main rooms on the first floor and the hallway on the second floor. A chair rail accentuates the dining room wall. The original hardwood floors are exposed on each of the building's three levels.

Door and window surrounds and baseboards are classically inspired. Panelled, pocket doors stand in the walls between the main parlour and the dining room. Seven panel, single doors are used for all other doorways.

An unglazed, red clay tile fireplace stands on the southern wall of the main parlour, a wooden mantel surmounts the tile. A wooden mantle accentuates the green, glazed tile surround and hearth of the fireplace on the north wall of the north parlour. An inlaid pastoral landscape adds additional elegance to the classically inspired mantle. The north bedroom on the second level contains a fireplace with a classically inspired, wooden mantle, and a glazed tile hearth and surround.

A rear staircase rises from a northwestern room on the second level to provide access to the attic story. The kitchen stands in the northwest section of the first level, it is in its original location but does not retain its original appearance.

A one-story, stucco, gable roof garage stands to the west of the property. It faces north and stands next to an adjacent alley. Its overall measurements are twenty feet from east to west and twenty-five feet from north to south.



## 8. Statement of Significance

Certifying official has considered the significance of this property in relation to other properties:

☐ nationally ☐ statewide ☒ locally

Applicable National Register Criteria ☐ A ☒ B ☒ C ☐ D

Criteria Considerations (Exceptions) ☐ A ☐ B ☐ C ☐ D ☐ E ☐ F ☐ G

Areas of Significance (enter categories from instructions)

ARCHITECTURE

COMMERCE

Period of Significance

1907-1908

1908-1935

Significant Dates

1907-1908

1935

Cultural Affiliation

N/A

Significant Person

FINNEY, WARREN WESLEY

Architect/Builder

UNKNOWN

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above.

The Warren Wesley Finney House (1907-1908) is being nominated to the National Register under criterion B for its historical association with Warren Wesley Finney, and under criterion C for its architectural significance as Shingle style house. The property maintains a high degree of interior and exterior architectural integrity.

The two-and-a-half-story, Shingle style house was the home of Warren Wesley Finney (1874-1935) from 1907 until his death in 1935. Finney was the owner of the Emporia Telephone Company and is known throughout Kansas for his involvement in the Finney Bond Scandal, which rocked Kansas in the early 1930s.

Finney was born and raised in Neosho Falls, Kansas and attended Washburn Academy and College in Topeka, Kansas. He returned to Neosho Falls and joined his father in the milling business. In 1895 he organized the Neosho Falls Telephone Company. He was elected to a two year term in the Kansas House of Representatives in 1896. He married Mabel Tucker, the daughter of a prominent Eureka, Kansas rancher, the following year.

Finney purchased the Independent Telephone Company of Emporia in 1905, and moved to Emporia with his family. Finney was a shrewd businessman who established to the Emporia Telephone Company from the failing Independent. He eventually purchased several more companies in surrounding counties. Finney also acquired a partnership in an electric company. Before long he became established as one of the state's leading utilities magnates. He also had holdings in several banks and savings and loan associations.

In 1933, the greatest bond scandal in Kansas history made news when the U. S. District Attorney for Kansas discovered forged bonds in

☒ See continuation sheet

United States Department of the Interior  
National Park Service

National Register of Historic Places  
Continuation Sheet

Section number 8 Page 1

---

the state treasury. It was only a short time before the bonds were traced to Ronald Finney, Warren's son. In August 1933, Ronald was arrested for the forgery of the bonds. Later in the month, Warren was charged with embezzlement from his Fidelity State and Savings Bank, and in September was charged with forgery. Emporia's citizens were shocked. Kansans across the state were in an uproar, several state officials were involved in the scandal. Governor Alf Landon, who was a close friend of the Finney family, vowed to bring the criminals to justice and restore the people's faith in its finances.

Throughout 1933 and 1934 the Finneys were on trial for their crimes. Warren was found guilty on all accounts. Through appeals he was able to forestall prison life until June, 1935. When news leaked out that he was to be taken to the State Penitentiary, he left his State Street residence and drove to his farm east of Emporia, where he committed suicide. Ronald Finney was released from prison in 1945.

Mabel Finney continued to live in the house until 1940. It was sold several times, and always retained its single family status. In 1990, the present owners purchased the house and are in the process of restoring it.

The Finney House is an example of the Shingle style. A gambrel roof covers the house; the first story is rusticated, limestone block, a shingled second story surmounts this stone base. Remnants of the Victorian period appear in the house with its projecting bays, leaded windows and decorative exterior plate on the north facade. Gables and dormers projecting off the gambrel roof give the building a rich textural diversity. The interior of the house reflects the Craftsman and Colonial Revival styles.

McAlester writes that, "About 25 percent of Shingle houses have gambrel roofs. Normally a full second story is incorporated into the steeper, lower slope of the gambrel, giving a one-story appearance. Gambreled cross gables are usually present." (McAlester, 1984, p. 289)

"Unlike most of the 19th-century styles that preceded it, the Shingle does not emphasize decorative detailing at doors, windows, cornices, porches, or on wall surfaces. Instead it aims for the effect of a complex shape enclosed within a smooth surface (the shingled exterior) which unifies the irregular outline of the

United States Department of the Interior  
National Park Service

National Register of Historic Places  
Continuation Sheet

Section number 8 Page 2

---

house. Most variants and details are designed to enhance either the irregularity of the shape or the uniformity of its surface. Decorative detailing, when present, is used sparingly." (McAlester, 1984, pp. 289-290)

"Most Shingle houses were built between 1880 and 1900, with a relatively few examples dating from the late 1870s and from the first decade of this century. The style began and reached its highest expression in seaside resorts of the northeastern states .... Among the innovative designers working in the style were Henry Hobson Richardson and William Ralph Emerson of Boston; John Calvin Stevens of Portland, Maine; McKim, Mead, and White, Bruce Price, and Lamb and Rich of New York; Wilson Eyre of Philadelphia; and Willis Polk of San Francisco." (McAlester, 1984, p. 290)

## 9. Major Bibliographical References

HANSCHU, STEVE. "Finney House." (National Register nomination draft, 1991).

McALESTER, VIRGINIA AND LEE. A Field Guide to American Houses. (New York: Knopf, 1984).

☒ See continuation sheet

Previous documentation on file (NPS):

- ☐ preliminary determination of individual listing (36 CFR 67) has been requested
- ☐ previously listed in the National Register
- ☐ previously determined eligible by the National Register
- ☐ designated a National Historic Landmark
- ☐ recorded by Historic American Buildings Survey # \_\_\_\_\_
- ☐ recorded by Historic American Engineering Record # \_\_\_\_\_

Primary location of additional data:

- ☒ State historic preservation office
- ☐ Other State agency
- ☐ Federal agency
- ☐ Local government
- ☐ University
- ☐ Other

Specify repository:

KANSAS STATE HISTORICAL SOCIETY

## 10. Geographical Data

Acreage of property LESS THAN ONE ACRE

UTM References

A 1 4 7 4 5 7 8 0 4 2 5 4 8 4 0  
Zone Easting Northing

C                                             

B                                               
Zone Easting Northing

D                                             

☐ See continuation sheet

Verbal Boundary Description

THE PROPERTY IS LOCATED ON LOT 143 ON STATE STREET IN EMPORIA, LYON COUNTY, KANSAS. IT IS BOUNDED TO THE EAST BY STATE STREET, TO THE NORTH BY TENTH STREET, TO THE WEST BY AN ALLEY, AND TO THE SOUTH BY ADJACENT PROPERTY LINES.

☐ See continuation sheet

Boundary Justification

THE BOUNDARY INCLUDES ALL PROPERTY HISTORICALLY ASSOCIATED WITH THE WARREN WESLEY FINNEY HOUSE.

☐ See continuation sheet

## 11. Form Prepared By

name/title MARTHA HAGEDORN-KRASS, ARCHITECTURAL HISTORIAN

organization KANSAS STATE HISTORICAL SOCIETY

date MARCH 23, 1992

street & number 120 WEST 10th


telephone 913-296-5264

city or town TOPEKA


state KANSAS

zip code 66612






WARREN WESLEY F.  
HOUSE  
EMPORIA QUAD  
14 745 780  
7254840



INTERVAL 10 FEET  
TIC VERTICAL DATUM OF 1929

NATIONAL MAP ACCURACY STANDARDS  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
SURVEY, LAWRENCE, KANSAS 66044  
MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U. S. Route ○ State Route  
Interstate Route

EMPORIA, KANS.  
38096-D2-TF-024  
1957  
PHOTOREVISED 1979  
DMA 6760 I NW-SERIES V878